Tick- Tock- Tick- Tock . . .

Just like the mechanics of a clock where many adjusted parts match with each other, a well thought-out and balanced programme of accessories is vital for the functionality and quality of library furniture. The following overview will introduce you to our shelving systems for scientific and public libraries. These systems form the basis for using an extensive and future-oriented range of accessories which we have compiled in this catalogue.

> Information on colours and surfaces is in accordance with the SchulzColorRange:



Surfaces

★ Materials/cloth



This classic shelving and organizing

system is built as frame construction

from square steel bars and stands for

proven quality in a timeless design.

UNIFLEX reveals its flexibility in

The extensive accessories and

possible customer requests.

equipment programme enables an

unconditional orientation towards all

daily use.

UNIFLEX (UN)



Our system QUADRA has an analogue construction, yet with square profiles, and has also been designed for longterm use in functionality and quality as well as for the very high demands and strains in libraries. You can choose between two different design options which will not only be functional but will set a trend in modern library furniture.





The elegant attitude of our shelving system RONDEA with round steel bars has been coined by reserve and transparency. The filigree construction emphasizes architecture and media. An extensive programme of accessories and two different design options make RONDEA quite adapt-

for metal and wood lacquering

wooden or plastic

for seating furniture

Hanging Book Stops

Hanging book stop, Model BS 22

For insertion in metal shelves, easily adjustable, round steel, chromed, with unbreakable plastic sliders for an easy and quiet use. H 220 mm

Fits all systems Item no.

For shelf depth 250 mm B **8002** M00 XX For shelf depth 300 mm B **8002** N00 XX



Hanging book stop, Model BS 28

For insertion in metal shelves with high shelf distances, similar to model BS 22, also suitable for books with extremely large format or very small books through its extra size H 280 mm

Fits all systems	Item no.

For shelf depth 250 mm B **8002** M28 XX For shelf depth 300 mm B **8002** N28 XX



Divider, Model TS For sliding upon hanging book stops, model BS 22 and BS 28. The divider lies directly upon the shelves through its own weight and is a valuable accessory part for loose-leaf collections, brochures, music books etc. White plastic. D 240 mm, H 250 mm

Fits all systems	Item no
For shelf denth 250 mm	

B **8005** M00 and 300 mm XX



For insertion in Multiplex-wooden shelves with guiding grooves for book stops, easily side adjustable, chromed round steel. H 220 mm

Item no.

UNIFLEX	B 8012 000 UN
QUADRA	B 8012 000 QU
BUNDEY	R 9012 000 RO



For insertion in wooden shelves with guiding rail for book stops, easily adjustable, round steel, chromed.

Item no.	H 220 mm	H 280 mm
UNIFLEX	B 8003 000 UN	B 8003 028 UN
QUADRA	B 8003 000 QU	B 8003 028 QU
RONDEA	B 8003 000 RO	B 8003 028 RO







For insertion in metal shelves with high shelf distances, similar to model BS 22, also suitable for books with extremely large format or very small books through its extra size

H 280 mm

For shelf depth 250 mm ltem no.

B **8006** 000 UN UNIFLEX QUADRA B **8006** 000 QU RONDEA B **8006** 000 RO



Book End Stops

Rod as book end stop, Model B 1

For insertion into the perforated holes of the bearing frame, thus variable in height; using two rods on top of each other will perfectly secure books against tipping (see picture), round steel, bright galvanized.

1 each for shelves

i eacii ioi	depth 250 mm	depth 300 mm
UNIFLEX	B 8001 M00 UN	B 8001 N00 UN
QUADRA	B 8001 M00 QU	B 8001 N00 QU
RONDEA	B 8001 M00 RO	B 8001 N00 RO

30


shelves

Book end stop brace, Model DR 2

For insertion into metal shelf boards, chromed round steel. H 150 mm

Item no. shelves shelves depth 250 mm depth 300 mm UNIFLEX B 8007 M00 UN B 8007 N00 UN B **8007** M00 QU QUADRA B **8007** N00 QU RONDEA B **8007** M00 RO B **8007** N00 RO

Angled Book Stops



Angled book stop, Model WB Suitable for all shelving systems, metal – lacquered white or black. W 120 mm, D 80 mm, H 130 mm

Fits all systems

B **8020** 000 XX

Item no.

Angled book stop, Model WB 1, WB 2

Suitable for all shelving systems, available in two heights, lacquered metal. W 120 mm, D 150 mm, H 175/240 m

Fits all systems Item no. Height 175 mm B **8021** 010 XX Height 240 mm B **8021** 020 XX





Angled book stop, Model WBG

For metal shelves, stop right or left, with front edge and secured fastening for an optimum guiding and for attaching inscriptions.

Lacquered metal. W 150 mm, D 150 mm, H 200 mm

Fits all systems	Item no.
Stop right	B 8023 00R XX
Stop left	B 8023 00L XX
With inscription, Stop right	B 8023 10R XX
With inscription, Stop left	B 8023 10L XX

Lettering tag, Model KA/S

For later attachment to angled book stops with front edge, transparent plastic, self-adhesive, incl. exchangeable white inscription card. W 147 mm, H 20 mm


Schulz Lettering Service upon request

Item no.

Fits all systems B **8044** 201 XX

Blank lettering strips, white, sheet with 13 strips, W 209 mm (shorter sizes by cutting)

B **8041** 000 XX



For metal shelves, can be used left or right simply by turning, both sides with a front edge and secure fastening for optimum guiding, a broad grip edge prevents from unintentional movement of books onto the vertical support side, suitable for horizontal and vertical lettering.

Lacquered metal. W 175 mm, D 182 mm, H 175 mm


Without lettering tag

Item no. B **8024** 000 XX Fits all systems





Additional Furnishing for Shelves



Book stop, Model BAFor metal shelves, flexible use,

B **8029** 0S0 QU

can also be mounted as tilt securing for shelves with projection.

Lacquered metal.

H 24 mm

Item no. Axle size 1000 mm

UNIFLEX B 8029 0W0 UN QUADRA B 8029 0W0 QU

Axle size 900 mm

UNIFLEX B 8029 0U0 UN
QUADRA B 8029 0U0 QU

QUADRA

Axle size 750 mm

UNIFLEX B 8029 0S0 UN




Tilt securing, Model KIS

For extractable shelf respectively metal or wooden shelf with projection, prevents the forward tilt of the shelf in the bay; two tilt securings required per shelf, black plastic.

1 each Item no.

UNIFLEX B 8070 000 UN
QUADRA B 8070 000 QU
RONDEA B 8070 000 RO



Shelf reinforcement, Model UZ

For metal shelves with extreme shelf, can be easily retrofitted, allows an additional weight of approx. 30 kg per shelf, lacquered metal.

Item no. Axle size 1000 mm Axle size 900 mm Axle size 750 mm B **8071** 0S0 UN UNIFLEX B **8071** 0W0 UN B **8071** 0U0 UN QUADRA B 8071 0W0 QU B **8071** 0U0 QU B **8071** 0S0 QU RONDEA B **8071** 0W0 RO B **8071** 0U0 RO B **8071** 0S0 RO

Notes

(...) = UN, QU, RO

Complete set of metal shelves with pre-inserted board reinforcement.

Board without Book stop Board with Book stop B 2141 . . . (. .)







Slanting hook, Model SSTH

Corner connection angle, Model EVW

Item no.

B **8051** 000 UN

B 8051 000 QU

incl. fastening kit.

1 each

UNIFLEX

QUADRA

For connecting the bearing frames of two shelving sections across the corner, for an even distance between the shelves. Two each are required per shelf connection. Nickel-plated metal,

For extractable shelves respectively metal or wooden shelves with projection, prevents the forward tilt of the shelf in the bay; two tilt securings required per shelf, black plastic.

1 each	Item no.
RONDEA	B 8009 000 RO
QUADRA	B 8009 000 QU



Slanting brace, Model SSTB


For variable slanting of shelves with book stop (edge), for display and front presentation; two each slanting braces required per shelf; round steel, bright galvanized.

1 each for metal or wooden shelves

Item no.

UNIFLEX B 8010 000 UN QUADRA B 8010 000 QU RONDEA B 8010 000 RO

Fittings




Wall fastening, Model WBEF

For single-sided bays with more than 1100 mm height; bright galvanized metal, incl. fastening kit. Wall distance 0 – 40 mm.

1 each Item no.

UNIFLEX B 8050 000 UN
QUADRA B 8050 000 QU
RONDEA B 8050 000 RO



Connection clamp, Model VBKL

For connecting the bearing frames of two adjacent shelving sections, very helpful for extremely high bays or for precise adjustment of the bearing frames, one each is required per shelf connection.

Bright galvanized metal.

1 each **Item no. UNIFLEX** B **8052** 000 UN **QUADRA** B **8052** 000 QU

Tool kit (no picture)

For mounting of all Schulz shelving systems, consisting of two fork wrenches SW 10 and three Allan keys of 4, 5 and 7 mm

Item no.

Fits all systems B 8999 000 XX

Adjusting key for feet (no picture)

For the adjustment of leveling screws.

 UNIFLEX
 B 8998 000 UN (SW 28)

 QUADRA
 B 8998 000 QU (SW 28)

 RONDEA
 B 8998 000 RO (SW 27)



Corner Shelves

Corner shelf for double-sided bays,

Model EFD

Wooden shelf for insertion in front side of double-sided bay with a shelf depth of 250 mm, incl. hanging kit,

wood veneered/plastic coated. 1 2


Item no.	45° wooden shelf	60° wooden shelf	90° wooden shelf
UNIFLEX	B 2012 M45 UN	B 2012 M60 UN	B 2012 M90 UN
QUADRA	B 2012 M45 QU	B 2012 M60 QU	B 2012 M90 QU
RONDEA	B 2012 M45 RO	B 2012 M60 RO	B 2012 M90 RO



Corner shelf for double-sided bays, Model EFDR

Wooden shelf with rounded front edge, for insertion in front side of double-sided bays with a shelf depth of 250 mm, incl. hanging kit, wood veneered/plastic coated. 1 2

Item no.	45° wooden shelf round	60° wooden shelf round	90° wooden shell round
UNIFLEX	B 2013 M45 UN	B 2013 M60 UN	B 2013 M90 UN
QUADRA RONDEA	B 2013 M45 QU B 2013 M45 RO	B 2013 M60 QU B 2013 M60 RO	B 2013 M90 QU B 2013 M90 RO




Wooden shelf for insertion in front sides of single-sided bay with a shelf depth of 250 mm, incl. hanging kit, 1 2 wood veneered/plastic coated

90° wooden shelf UNIFLEX

QUADRA

Item no. B **2010** M90 UN B **2010** M90 QU B **2010** M90 RO



Corner shelf for single-sided bays, Model EFR

Wooden shelf with round front edge, for insertion in front side of single-sided bays with a shelf depth of 250 mm, incl. hanging kit, 1 2 wood veneered/plastic coated

90° wooden shelf, round UNIFLEX

B **2011** M90 UN QUADRA B **2011** M90 QU **RONDEA** B **2011** M90 RO

Item no.




Trapezoidal shelf for single-sided bays, **Model EFI**

Wooden shelf for insertion in the front side of single-sided bays with a shelf depth of 250 mm, with rear book stop (edge) which prevents an unintentional slidethrough of the media, incl. hanging kit,
1 2 wood veneered/plastic coated.

> 90° wooden shelf Item no.

> > UNIFLEX B **2020** M00 UN QUADRA B **2020** M00 QU RONDEA B 2020 M00 RO



Hanging desk, rectangular, Model EHT/RE

Reading and computer desk for insertion in bay sections with a shelf depth of 250 mm, numerous modes of use, desk surface 1 2 wood veneered/plastic coated, incl. hanging kit and tilt securing,

lacquered metal feet. D 750 mm, H 725 mm

Item no. for Axle size 1000 mm for Axle size 900 mm for Axle size 750 mm B **5510** MS0 UN UNIFLEX B **5510** MW0 UN B **5510** MU0 UN QUADRA B **5510** MW0 QU B **5510** MU0 QU B **5510** MS0 QU **RONDEA** B **5510** MW0 RO B **5510** MU0 RO B **5510** MS0 RO



Hanging desk, pentagonal, Model EHT/FE

Reading desk for insertion in bay sections with a shelf depth of 250 mm, also ideal for small and cramped rooms, desk surface from 1 2 wood veneered/plastic coated, incl. hanging kit and tilt stop,

lacquered metal feet. H 725 mm

for Axle size 750 mm,

Item no. D 793 mm D 743 mm D 668 mm B **5513** MS0 UN UNIFLEX B **5513** MW0 UN B **5513** MU0 UN QUADRA B **5513** MW0 QU B **5513** MU0 QU B **5513** MS0 QU **RONDEA** B **5513** MW0 RO B **5513** MU0 RO B **5513** MS0 RO

for Axle size 900 mm,



Hanging desk, round, Model EHT/RU

Reading and computer desk for insertion in front sides of double-sided bays with a shelf depth of 250 mm, desk surface 1 2 wood veneered/plastic coated, incl. hanging kit, lacquered metal feet.

Diameter 1000 mm, D 927 mm, H 725 mm

Item no.

for Axle size 1000 mm,

UNIFLEX B **5501** M00 UN QUADRA B **5501** M00 QU **RONDEA** B **5501** M00 RO



Hanging Tables/Desks



Hanging desk, drop-shaped, Model EHT/TR

Reading and computer desk for insertion in front sides of double-sided bays with a shelf depth of 250 mm when installed as angle 90° combination; offers readers and employees a generous work and display area, desk surface from wood veneered/plastic coated, 1 2 incl. hanging kit, lacquered metal feet, Diameter 1040 mm, H 725 mm

Item no.

B **5500** M00 UN UNIFLEX B **5500** M00 QU QUADRA RONDEA B **5500** M00 RO

Base Cabinets

AV media cabinet, Model MS

Base cabinet with four drawers on telescopic full rails, designed for variable organization through mobile dividers, suitable for different AV media. for individual wall placement or for insertion in shelves with an axle size of 900 mm. Lockable upon request and with rail stop which prevents tilting by simultaneous opening of several drawers.

Wooden body veneered/plastic coated.
W 865 mm, D 600 mm, H 870 mm

Item no.

B **3495** 4U0 (...) with lock, with rail stop (see picture) B **3495** 4U1 (...) without lock, with rail stop

B **3495** 4U2 (...) without lock, without rail stop (for wall mounting)

(...) = UN, QU, RO



Accessories for drawers in AV media cabinet

For variable set-up of drawers with 4 mobile dividers, grooved rubber mat and 2 threading bars from stainless steel, for 200 CDs with standard cover or 1000 CDs with protective sleeve, or 90 DVDs. Metal dividers, silver lacquered.

H 80 mm

Item no

B **3516** 0U0 (..) 1 set for 1 drawer B **3517** 000 (..) 1 each additional divider





Base cabinet with swing door, Model USS

Lockable base cabinet with height adjustable shelf, wood veneered/plastic coated. 1 2 3 H 870 mm

for axle size 1000 mm, W 965 mm, Additional shelf	Item no. D 400 mm B 3503 4W0 () B 3503 0W0 ()	Item no. D 600 mm B 3504 4W0 () B 3504 0W0 ()
for axle size 900 mm, W 865 mm,	B 3503 4U0 ()	B 3504 4U0 ()
Additional shelf	B 3503 0U0 ()	B 3504 0U0 ()





Base cabinet with sliding doors, Model STS

Lockable base cabinet with height-adjustable shelf, wood veneered/plastic coated. 1 2 3 H 870 mm

	Item no.	Item no.
for axle size 1000 mm, W 965 mm,	D 400 mm B 3501 4W0 ()	D 600 mm B 3502 4W0 ()
Additional shelf	B 3501 0W0 ()	B 3502 0W0 ()
or axle size 900 mm, W 865 mm, Additional shelf	B 3501 4U0 () B 3501 0U0 ()	B 3502 4U0 () B 3502 0U0 ()

(...) = UN, QU, RO

Reading and Pull-out Shelves



Reading and presentation shelf, semicircular, Model ALL

Wooden shelf for insertion in shelving sections with axle size 500 mm and a shelf depth of 250 mm, incl. hanging kit and tilt stops, wood veneered/plastic coated.

Axle size 500 mm, D 480 mm

Item no

UNIFLEX	B 2729 MR0 UN
QUADRA	B 2729 MR0 QU
RONDEA	B 2729 MR0 RO



Front-side reading and presentation shelf, semicircular, Model ALS

Wooden shelf for insertion in front side of double-sided bay with a shelf depth of 250 mm, easily retrofitted, incl. hanging lncl. fastening kit. kit and tilt stops, wood veneered/plastic coated. 1 2 W 520 mm, D 300 mm W 525 mm, D 500 mm

Item	nο

UNIFLEX	B 2033 M00 UN
QUADRA	B 2033 M00 QU
RONDEA	B 2033 M00 B0



Folding board, Model FK

For attachment at front sides of double-sided bays, easy folding for reading, easily retrofitted, lacquered metal. Incl. fastening kit.
W 520 mm, D 300 mm

Item no.

For attachment on wooden panels
UNIFLEX B 2041 000 UN
QUADRA B 2041 000 QU

For attachment on shelf bearing frame W 530

UNIFLEX QUADRAB **2031** 0M0 UN
B **2031** 0M0 QU

For attachment on shelf bearing frame W 630 **UNIFLEX** B **2031** 0N0 UN

UNIFLEX B **2031** 0N0 UN **QUADRA** B **2031** 0N0 QU



Pull-out shelf, Model FAZ

On hidden telescopic full rails, for installation under metal or wooden shelves from axle size 750 mm upwards, width 600 mm, incl. installation kit and tilt stops, lacquered metal.



	item no.	item no.
For bearing shelves	wood	metal
Pull-out depth 245 mm, front edge	e flush with bearing shelf	
For bearing shelf D 250 mm	B 2006 M00 ()	B 2000 M00 ()
For boaring shalf D 200 mm	P 2006 NOO / \	B 2000 NOO / \

Pull-out depth 295 mm, front edge protruding 50 mm over bearing shelf, easier identification as pull-out shelf shelf.

For bearing shelf D 250 mm B **2007** M00 (. .) B **2001** M00 (. .) For bearing shelf D 300 mm B **2007** N00 (. .) B **2001** N00 (. .)

(...) = UN, QU, RO





Functional Sides

Functional sides, Model FS 1

Either as front side finish or for wall mounting. The functional sides can be individually combined with different equipment for lettering and presentation. They have a signal effect and are ideal for the display and presentation of news or event calendars in folder format. Lettering and inscription can be done directly on the functional side or an additional inscription board.

Wood veneered/plastic coated incl. fastening kit. 1 2 3

Functional side	For wall mounting B 528 mm	For UNIFLEX, QUADRA W 528 mm (as side panel)
For bay height H 1100 mm H 1500 mm H 1750 mm H 2050 mm H 2250 mm	Item no. B 8250 GM0 XX B 8250 CM0 XX B 8250 AM0 XX B 8250 DM0 XX B 8250 DM0 XX	Item no. B 8250 GM0 UN,QU B 8250 CM0 UN,QU B 8250 AM0 UN,QU B 8250 DM0 UN,QU B 8250 DM0 UN,QU B 8250 EM0 UN,QU

For shelf depth 300 mm = N (B 640/628 mm) the M in the item no. will be replaced by an N.

Inscription shelf, Model BT 1

For a colour emphasis and for information Wood veneered/plastic coated incl. 1 2 3 fastening kit. W 489 mm, H 368 mm. Schulz Lettering Service upon request

B 8260 0M0 XX Fits all systems Item no.

For shelf depth 300 mm = N (B 589 mm) the M of the item no. will be replaced by an N.

Display shelf, Model PT 1

For the presentation of media and for colour emphasis. Lacquered metal. W 489 mm, H 255 mm

B 8261 0M0 XX Fits all systems Item no.

For shelf depth 300 mm = N (B 589 mm) the M of the item no. will be replaced by an N.

Folder rack, Model FL 1

For an organized presentation of folders.
With acrylic glass front, H 120 mm and three removable dividers. Shelf width 115 mm, Wood veneered/plastic coated. 1 2 3

W 489 mm, H 140 mm

B 8262 0M0 XX Fits all systems

For shelf depth 300 mm = N (B 589 mm) the M in the item no. will be replaced by an N.



Presentation grid, angle shaped,

W 490 mm, D 522 mm, H 1750 mm

Similar to Model GISE but with expanded, angle-shaped presentation space.

With four bearing clamps and two connection

Item no.

B **8201** 000 RO

Model GISE/W

clips

RONDEA

Drawer seat, Model SIK

For use in and insertion in shelving sections, on wheels; with removable, upholstered seat, suitable as storage space. Wood beech multiplex. D 570 mm, H 275 mm

Item no.for Axle size 1000 mm for Axle size 900 mm for Axle size 750 mm UNIFLEX B 8420 0W0 UN B **8420** 0U0 UN B **8420** 0S0 UN QUADRA B 8420 0W0 QU B **8420** 0U0 QU B **8420** 0S0 QU B **8420** 0U0 RO RONDEA B 8420 0W0 RO B **8420** OSO RO

Model GISE

For attachment to front of double-sided bays with a shelf depth of 250 mm, as bearing system for presentation elements and an inscription shelf, chromed round steel, incl. fastening material. W 490 mm, H 1750 mm


With four bearing clamps

Presentation grid, straight,

Item no. RONDEA B **8200** 000 RO

With two connection clips B 8200 000 (...)

(...) = UN, QU





Inscription board, Model BSGI (see left picture)

Easy fixing on presentation grid, as sign post and orientation aid, beech multiplex. W 400 mm, H 284 mm

Item no. B 8202 000 (...)

(...) = UN, QU, RO

Info





Hanging metal display, Model ZFVH

For insertion in presentation grid, side panels from perforated sheet metal with round holes RG 5/25, square holes QG 10/62.5 and slot holes 4/40, as well as two holding rods Model B 1 also for direct insertion in shelf front sides, W 90 mm, H 200 mm, insert size up to 50 mm, chromed metal.

Item no.

B **8211** 000 XX Fits all systems



Book presenter, Model BAH 5

For placing or hanging in presentation grid, side panels from perforated sheet metal with round holes RG 5/25, square holes QG 10/62.5 and slot holes 4/40, as well as two holding rods Model B 1 also for direct insertion in shelf front sides, for German DIN A4 formats such as paperbacks. video cassettes etc., chromed metal.

Item no.

B **8210** 000 XX Fits all systems



Holding/bearing rod, Model B 1

As holder for front-side presentation elements, for insertion into grid systems of the bearing frame, easily height adjustable, bright galvanized round steel.

1 each for shelf depth 250 mm UNIFLEX B 8001 M00 UN QUADRA B 8001 M00 QU RONDEA

B **8001** M00 RO

Item no.

For shelf depth 300 mm = N the M in the item no. will be replaced by an N.

Book Presentation

Slanted shelf 60°, Model SAB 60

For the presentation of books, magazines etc., For hanging in presentation grid and front sides of double-sided shelves. Lacquered metal, incl. hanging kit. W 469 mm, D 290 mm

Item no.

UNIFLEX B **8222** 0M0 UN QUADRA B **8222** 0M0 QU RONDEA B **8222** 0M0 RO PRESENT.GRID B 8222 0M0 GI



Front-side shelves, Model STFB

For hanging into presentation grids and front sides of double-sided bays, for books (see pic.1), with additional CD shelf rack B 8500 003 XX (see page 27) also suitable for 42 CDs (see pic.2), lacquered metal, incl. hanging kit. W 469 mm, D 250 mm, H 120 mm

Item no.

UNIFLEX B **8221** 0M0 UN QUADRA B **8221** 0M0 QU RONDEA B **8221** 0M0 RO PRESENT.GRID B **8221** 0M0 GI





Comic and map box, Model CTR

For hanging in shelving sections with a shelves depth of 250 mm, allows user to easily flip through media with simultaneous front presentation, variable set-up through mobile dividers, also suitable for videos and DVDs,

1 2 box and dividers from lacquered metal, incl. wooden sides, grooved rubber mat, hanging kit and tilt stops. D 376 mm, H 200 mm

Item no.

for axle size 1000 mm, incl. 3 dividers for ca. 136 comics

for axle size 1000 mm, incl. 5 dividers for ca. 162 maps

for axle size 900 mm, incl. 2 dividers for ca. 102 comics

for axle size 900 mm, incl. 4 dividers for ca. 135 maps

B 8602 MW0 (...)

B 8602 MW1 (...)

B 8602 MU0 (...)

B 8602 MU1 (...)

(...) = UN, QU, RO



Item no. 1 each additional divider for

Comic and map box

B **8603** 000 (...)

(...) = UN, QU, RO

Book Presentation



Book manger, Model BT 2

With slanted shelf for front or book spine presentation of different media, for hanging in presentation grids and front sides of double-sided bays, insertion width/depth up to 450/200 mm, incl. hanging kit, beech multiplex.

W 480 mm, D 260 mm, H 205 mm

Item no. UNIFLEX B **8216** 2W0 UN QUADRA B 8216 2W0 QU RONDEA B **8216** 2W0 RO PRESENT.GRID B 8216 2W0 GI



Paperback box, Model TBT 2

PRESENT.GRID

For hanging in presentation grids and front sides of double-sided bays, insertion width/depth up to 450/150 mm, incl. hanging kit, beech multiplex W 480 mm, D 183 mm, H 150 mm

	Item no.		
UNIFLEX	B 8215 2W0 UN		
QUADRA	B 8215 2W0 QU		
RONDEA	B 8215 2W0 RO		

B **8215** 2W0 GI



CD and paperback holder, Model CDH

For hanging in perforated sheet metal panels with round holes RG 5/25 and slot holes 4/40, bright galvanized metal, variable width, insert size up to 25 mm, H 60 mm. Picture shows on pair

Item no. Fits all systems

B 8209 000 XX on pair



Broadside box (Querbox ©) for magazines in shelves, Model ZQB

For storing of magazines in bays with 250 mm shelf depth. When opened, the display flap for the current issue can be pushed in for easy handling. An additional, transparent antireflex foil allows presentation of a front page for easy identification of the chosen issue

Magazines are stored broadside in this box with the advantage that the magazine spines can be seen from the front and that the magazines are stored with more care, compared to boxes with standing magazines, and they can easily be taken out. Stacking height 140 mm, max. magazine size W 230 mm, H 315 mm Box and flap made of lacquered metal, max. 3 each on shelf boards with axle size 1000 mm. W 320 mm, D 260 mm, H 320 mm

Item no.

Fits all systems B 8311 000 XX

Other models:

Magazine box, Model ZBV, (no picture) Upright storage of magazines on shelf depth 250 mm. With adjustable back. Stacking height 140 mm, max. magazine size W 230 mm, H 310 mm. Box and flap made of lacquered metal, max. 4 each on shelf with axle size 1000 mm. W 238 mm, D 260 mm, H 320 mm

Item no.

Fits all systems B 8310 000 XX

Magazine box, Model ZBL, (no picture)

Broadside storage of magazines on board depth 300 mm and above. Stacking height 140 mm, max. magazine size W 230 mm, H 310 mm. Box and flap made of lacquered metal, max. 4 each on shelf with axle size 1000 mm. W 238 mm, D 340 mm, H 320 mm

Item no.

Fits all systems 0 **3016** 010

Magazine Presentation



Magazine presenter, Model ZSA

A slanted back and an additional side stop are a very organized way of presenting single magazine stacks in shelves with a shelf depth of more than 250 mm. The binder or folder will be placed flush with the front edge which has a double reinforced edging. For use with metal shelves, we have included an additional slip stop to the front.

Lacquered metal, back height 300 mm, depth of storage area 80 mm.

Fits all systems B 8025 A40 XX German DIN A4, width 220 mm, max. 4 each

On shelves axle size 1000 mm

B 8025 A30 XX German DIN A3, width 440 mm, max. 2 each Fits all systems

On shelves axle size 1000 mm



Sectioned shelf, Model MB

For insertion in shelving section with axle size 1000 mm and a shelf depth of 300 mm, for horizontal display and storage of magazines in German DIN A4 format (see picture 1), randomly expandable with slanted shelves (see picture 2), lacquered metal, incl. dividers for four rows of magazines. D 300 mm, H 150 m

for axle size 1000 mm Item no.

> UNIFLEX B **2060** NW0 UN QUADRA B **2060** NW0 QU **RONDEA** B **2060** NW0 RO



Slanted shelf board, Model ZF 3

For insertion shelving section with axle size 1000 mm and a shelf depth of 300 mm, for presenting the recent issue of magazines brochures etc., lacquered metal, incl. hanging kit. D 300 mm

UNIFLEX B **2611** NW0 UN QUADRA B **2611** NW0 QU RONDEA B **2611** NW0 RO



Connectable magazine collector, Model ZSSA

Slanted magazine sections for storing current brochures, pamphlets, forms, etc. randomly connectable side by side through plug-in connections, max. 9 each on axle size 1000 mm, max. 8 each on axle size 900 mm, max. 6 each on axle size 750 mm, lacquered metal. Single element: W 95 mm, D 240 mm, H 300 mm

Item no.

B **8026** 000 XX Fits all systems



U-support, Model UST

Multiple uses, p.e. for loose-leaf collections, music books etc., lacquered metal. W 145 mm, D 220 mm, H 250 mm

Item no.


B **8027** 000 XX Fits all systems



Brochure shelf, Model BRF

For insertion in shelving section with a shelf depth of 250 mm, for the presentation of pamphlets, magazines, brochures etc., highly transparent acrylic glass with upward front edge H 160 mm, incl. hanging kit. D 232 mm, H 220 mm

Item no.	For axle size 1000 mm	For axle size 900 mm	For axle size 750 mm
UNIFLEX OUADRA	B 2050 0W0 UN B 2050 0W0 OU	B 2050 0U0 UN B 2050 0U0 OU	B 2050 OSO UN B 2050 OSO OU
RONDEA	B 2050 0W0 Q0	B 2050 000 Q0	B 2050 0S0 RO



Plastic insert, Model ZF/EIN

For placement on slanted shelves with book stop and a shelf depth of 300 mm, has a 60 mm high edge and is ideal for storing newspaper or magazine stacks as well as thick books, allows the display of front pages as orientation aid, highly transparent acrylic glass.

Item no.	For axle size 1000 mm	For axle size 900 mm	For axle size 750 mm
s all systems	B 8321 NW0 XX	B 8321 NU0 XX	B 8321 NS0 XX



Transparent foil, Model ZFF

For placement on slanted shelves with book stop and a shelf depth of 300 mm, allows the display of front pages as orientation aid, highly transparent acrylic glass. Axle size 1000 mm, D 295 mm (shorter sizes by cutting)

For axle size 1000 mm Item no. B 8322 0W0 XX Fits all systems

Newspaper and Magazine Presentation



You can display three current titles, the previous versions are stored behind broadside on the shelf. Broadside stacking has the great advantage

that all inscriptions and prints on the spine can still be seen from the front. An effective lever mechanism supports the comfortable handling and keeps the lifted

flap open. Easily retrofitted for single- and double-sided bays with axle size 1000 mm and a shelf depth of 250 mm.

In order to prevent a slip-through to the back, we recommend using shelves with backs. Shelves H 2250 mm can be equipped with max. 6 flaps high.

Stacking height for German DIN A4: 160 mm. Flap and sides from lacquered metal, W 961 mm, H 340 mm, without shelf

Axle size 1000 mm

UNIFLEX B **8315** MW0 UN QUADRA B **8315** MW0 QU



Universal hanging cage, Model UEKB

Use as book stand (see pic.1), display shelf (see pic.2) or newspaper manger (see pic.3), for hanging in presentation grid and front sides of up to 420 mm, incl. hanging kit, chromed round steel. W 435 mm, D 120/40 mm, H 273 mm

Item no.

UNIFLEX B **8212** 000 UN QUADRA B 8212 000 QU RONDEA B **8212** 000 RO PRESENT.GRID B **8212** 000 GI





For newspapers, brochures etc.,

for hanging in presentation grids and front sides of double-sided bays, incl. hanging kit, highly transparent acrylic glass. W 350 mm, H 260 mm

Newspaper holder, Model ZHK

Item no.

UNIFLEX B **8219** 000 UN B **8219** 000 QU QUADRA B **8219** 000 RO RONDEA PRESENT.GRID B 8219 000 GI



Slanted display 60° shelf, Model SAB 60

For displaying books, magazines etc., for hanging in presentation grids and front sides of double-sided shelves, lacquered metal, incl. hanging kit. W 469 mm, T 290 mm

Item no.

UNIFLEX B **8222** 0M0 UN QUADRA B **8222** 0M0 QU RONDEA B **8222** 0M0 RO PRESENT.GRID B 8222 0M0 GI



Plastic magazine collector, Model ZESA

Helpful for the storage of brochures, pamphlets, loose-leaf collections etc., with front-side edge for guiding along the shelf board and for attaching inscriptions, light grey plastic. W 80 mm, D 230 mm, H 325 mm

Item no.

Fits all systems B 8313 000 XX 1 each



LED presentation board

Are you proud of your new acquisitions, or would you like to present different types of media on one specific topic? Our LED presentation board offers you the appropriate frame.

It has a perforated metal front which can be equipped and individually combined with all kinds of presentation accessories.

State-of-the-art LED technology will definitely attract the visitors' attention, with a minimum of electricity consumption and extreme durability.

This LED presentation board is also well suitable to brighten up some less frequented dark corners, niches and hallways.

Comes with 29 LEDs, ready for operation, incl. plug and cable for 250V socket.

Perforated sheet metal, lacquered; with put-on sign for lettering upon request.

LED presentation board without accessories

W 870 mm, D 60 mm, H 1650 mm

Item no. B 7706 AU0 XX

LED presentation board without accessories

W 870 mm, D 60 mm, H 1950 mm

Item no. B **7706** DU0 XX



Lacquered metal, W 300 mm, D 40 mm, H 150 mm Schulz Lettering Service upon request

B **8102** 000 XX





For shelf depth 300 mm

the M in the item no. will be replaced by an N.

Fits all systems B 8601 000 (. .) 1 each additional divider

(...) = UN, QU, RO



AV media tray, Model MEHT

For hanging in bays with a shelf depth of 250 and 300 mm. allows user to easily flip through media with simultaneous front presentation. Variable management through mobile dividers, suitable for different types of AV media, tray and dividers from lacquered metal, wooden sides veneered/plastic coated incl. grooved rubber mat, threading bars, hanging kits and tilt stops. D 376 mm, H 100 mm, tray height 80 mm








Lacquered metal, W 300 mm, D 40 mm, H 150 mm Schulz Lettering Service upon request

Item no. B 8102 000 XX



CD Display wall

Is ideal for presenting small media. This display wall will show your CDs and CD-ROMs at their best and give the user an optimum access to your "Top 10" or other groups and subjects like no other piece of furniture. The CD display is available either for individual mounting on wooden bases or in different widths already installed on a wall board.

If desired, a sign with inscription will attract additional

CD display: lacquered metal, Wooden wall board veneered/plastic coated. 1 2 3



CD Display

For individual mounting on wooden bases such as side panels, cabinet sides etc., incl. fastening material, for 7 CDs, W 148 mm, D 50 mm, H 900 mm

Item no. B 7711 000 XX

CD display wall

For wall mounting incl. fastening material and CD display for a total of 21 CDs (see drawing). W 550 mm, D 89 mm, H 1100 mm

Item no. B 7710 003 XX

CD display wall


For wall mounting incl. fastening material and 6 CD displays for a total of 42 CDs. W 1000 mm, D 89 mm, H 1100 mm

Item no. B 7710 006 XX

CD display wall

For wall mounting incl. fastening material and 9 CD display for a total of 63 CDs. W 1450 mm, D 89 mm, H 1100 mm

Item no. B 7710 009 XX



CD-ROMs, DVDs, videos or cassettes in shelves. Allows user to easily flip through media with simultaneous front presentation. Variable management by mobile dividers. browser made of lacquered metal, for fixing on wooden and metal shelves.

Depth 250 mm without book stop. Browser height 100 mm, Incl. grooved rubber mat.

Item no. Item no.

Axle size 1000 Axle size 900 Incl. 5 dividers incl. 4 dividers for approx. 120 CDs/DVDs for approx. 100 CDs/DVDs with standard cover with standard cover

Fits all systems B 8620 MW1 XX B **8620** MU1 XX Fits all systems B 8621 M00 XX 1 each additional divider

Multimedia browser for insertion (no picture), Model MMWE Same description as above, but with side consoles for direct insertion

in bays with a shelf depth of 250 mm.

Axle size 1000 Axle size 900 Item no. B 8620 MW2 (...) B 8620 MU2 (...)

(...) = UN, QU,

RO

Fits all systems B 8621 M00 XX 1 each additional divider



Pull-out multimedia browser (see picture), Model MMWA

Several browsers can be placed on top of each other by a telescopic full rail in order to save room in a bay with board shelf 250 mm. An additional handle makes the user aware of this pull-out function. Same description as above, but with side consoles, pull-outs, handle and tilt stops.

Item no

Axle size 1000 Axle size 900 B **8620** MW0 (...) B 8620 MU0 (...)

(...) = UN. QU.


Fits all system

B **8621** M00 XX

1 each additional divider

B 8623 000 XX

1 each DVD-rest for clipping onto the rear perforated row for heightening the back panel. If requested, one is required per DVD row.



RO



Multimedia stair, connectable, 2 steps



Multimedia stair, connectable, 3 steps

Multimedia stair, connectable, Model MMT

Flexible solution for room-saving storage of CDs, CD-ROMs or DVDs in shelves with shelf depth 250 mm. The stair can be placed single or double - and also triple on top of each other in front of the shelf. A slight slanting gives you an ideal view and you can easily reach the media. This system is a perfect supplement for the pull-out multimedia browser or the AV media tray, if placed single or double on top of these. Browser from lacquered metal, incl. hanging kit D 110 mm, height of front edge 50 mm

Axle size 1000 mm Axle size 900 mm For front presentation for approx. 60 CDs for approx. 60 CDs B 8510 MW0 (. .) 1 each B 8510 MU0 (. .) 1 each Item no.

Grooved rubber mat for multimedia stair

B 8511 MW0 (...) B **8511** MU0 (. .) Item no.

(...) = UN, QU, RO

Multimedia browser, Model MMK

CDs, CD-ROMs, DVDs and also videos can be stored by either presenting their title or side by side presenting their back. Both arrangements can be ideally seen and handled because the browser has a slanted position. For large stocks of media, this multimedia browser is an ideal supplement for the pull-out multimedia browser or our AV media tray which will be inserted in the shelves. Browser from lacquered metal, incl. hanging kit. D 165 mm, edge height 140 mm

Axle size 1000 mm Axle size 900 mm For shelf depth D 250 mm For approx. 90 CDs For approx. 90 CDs For front presentation For back presentation For approx. 95 CDs For approx. 85 CDs

> B 2080 MW0 (...) B 2080 MU0 (...)

> > (...) = UN, QU, RO



Presenting Digital Media

CD and paperback holder, Model CDH For insertion in perforated

end panels with round holes RG 5/25 and slot holes 4/40, bright galvanized steel wire, variable width. Insertion strength up to 25 mm, H 60 mm

Item no.

Fits all systems B **8209** 000 XX



Thematic Browser, Model TW 1

For storing theme-related AV media such as CDs, CD-ROMs, DVDs next to the relevant books. Random placement on shelves or tables/desks. Browser from lacquered metal, with anti-slipping feet. W 150 mm, D 220 mm, H 120 mm

Item no.

Fits all systems B **8505** 000 XX for ca. 20 CDs/DVDs Fits all systems

B 8506 000 XX grooved rubber mat for thematic browser

Presentation tray, Model TRK 2

With 2 dividers for approx. 60 CDs, for insertion in presentation grids and also front sides of double-sided bays, beech multiplex, incl. five dividers, grooved rubber mat and hanging kit. W 480 mm, D 285 mm, H 136 mm

	Item no.	
UNIFLEX	B 8213 2W0 UI	
QUADRA	B 8213 2W0 Q	
RONDEA	R 8213 2\M/0 R(



Shelf for front side, Model STFB

PRESENT.GRID

For hanging in presentation grids and front sides of double-sided bays, for additional CD shelf tops B 8500 003 XX or B 8501 003 XX (see left) lacquered metal, incl. hanging kit. W 469 mm, D 250 mm, H 120 mm without CD shelf top

	Item no.		
UNIFLEX	B 8221 0M0 UN		
QUADRA	B 8221 0M0 QU		
RONDEA	B 8221 0M0 RO		

1 each, two-rowed, for 20 CDs with B **8221** 0M0 GI





Can be easily fixed on metal or wooden shelves with a depth of 250 mm, also suitable for shelves with a book stop edge, allows the user to easily flip through the CDs with simultaneous front presentation, available in designs with two or three rows, and for CDs in standard or protective cover, random placement side by side, chromed round steel. W 464/311 mm, D 262 mm, H 40 mm

The following is needed to completely equip a shelf:

For axle size 1000 mm: 2 each, three-rowed For axle size 900 mm: 1 each, three-rowed, 1 each, two-rowed For axle size 750 mm: 2 each, two-rowed For axle size 500 mm: 1 each, three-rowed

Fits all systems Item no.

1 each, three-rowed, for 42 CDs with standard cover, 10.5 mm thick B **8500** 003 XX

1 each, two-rowed, for 28 CDs with standard cover, 10.5 mm thick B **8500** 002 XX

1 each, three-rowed, for 30 CDs with protective cover, 18.5 mm thick B 8501 003 XX

protective cover, 18.5 mm thick B 8501 002 XX





Horizontal light, Model HL 1

Will be plugged onto the bearing frames of single and double-sided shelves. Also possible for covering two axles sizes without a middle lamp arm. For a hidden cable conduct to the floor, 1 per shelf row for single-sided bays and 2 UNIFLEX light bearing frames for doublesided bays have to be planned (with cable outlet K1). For a central control. Protrusion approx. 300 mm to front edge of lamp, lacquered metal, incl. acrylic cover, T8 lamp and electronic ballast. Cannot be combined with doors.

- 1 basic horizontal light with 2 lamp arms,
- 2 front-side covers, cable with mains plug 1.5 m black

Item no. Axle size 1000 mm Axle size 900 mm Axle size 750 mm B **8730** 1WG UN B **8730** 1UG UN B **8730** 1SG UN

1 add-on horizontal light with 1 lamp arm

Item no. Item no. Axle size 1000 mm Axle size 900 mm Axle size 750 mm B **8730** 1WA UN B **8730** 1UA UN B **8730** 1SA UN

1 basic horizontal light covering two axle sizes continuously



Halogen shelf light, Model HRL 2

For completely illuminating a shelf and also for accent lights. For single- or double-sided bays: will be plugged on special UNIFLEX light bearing frames (with cable outlet K1) for a hidden cable conduct to the floor. Lamps incl. halogen reflector lamp for voltage 230V/50W and feed line to the base. For central control. Protrusion approx. 300 m to the front edge of lamp, Lacquered metal. Cannot be combined with doors.

Item no.

B 8700 000 UN 1 Halogen shelf lamp for UNIFLEX

UNIFLEX light bearing frames

Mains connection and interlinking of lights is made by electric mains and connection cables in the shelf base.

Connection cable with Schuko plug incl. distribution coupling for cable conduct in the shelf base, is required 1x per shelf row.

UNIFLEX B 8701 000 UN 1 meter, black B 8701 003 UN 3 meter, black UNIFLEX

Connection cable for single- and double-sided bays, Incl. distribution coupling for cable conduct in the shelf base.

UNIFLEX

B 8702 000 UN standard length for max. Axle size 1000 mm, required 1x per add-on shelf, black

Lights for Shelves

Vertical light, Model T 5

For installation on the standard bearing frames of single- and double-sided bays. Lights incl. 2 fluorescent tubes 21 W, length 912 mm, electronic ballast and diffuser for perforated plate. We offer outer and middle shelf lights for an optimum light distribution.

All lights can be controlled centrally or individually.

Protrusion approx. 65 mm to the front edge of the lamp, lacquered metal. Cannot be combined with doors or with protruding accessories such as broadside boxes, pull-out multimedia tubs etc.

	Item no.	Item no.	Item no.
	1 outer light left type	1 middle light	1 outer light right type
For bay height 2050 mm	B 8722 DOL UN	B 8722 D0M UN	B 8722 DOR UN
For bay height 2250 mm	B 8722 E0L UN	B 8722 E0M UN	B 8722 EOR UN

Other bay heights upon request.

Mains connection and interlinking of lights are made by electric mains with triple plugs in the shelf base.

2 lines are required for double-sided bays, for single-sided starter bays and single- or double-sided add-on bays only one line is required.

B 8723 000 XX 1 mains connection and interlinking line

Our shelving system UNIFLEX offers numerous other possibilities for making lights effective where it is required.


Continuous light assemblies with round or square profiles can be installed at different lamp holders and shelf connectors.











www.lammhultslibrarydesign.com





Labelling sign, Model L 3

For marking of sections, simply clip on metal or wooden shelves, incl. exchangeable moisture-proof labelling strips white, labelling sign transparent plastic, antireflex H50 mm. Schulz Labelling Service upon request.

for axle size 1000 mm Item no. UNIFLEX

B **8038** 0W0 UN

for axle size 900 mm

for axle size 750 mm B **8038** 0U0 UN

B 8038 0S0 UN

for axle size 500 mm B **8038** ORO UN

U Naturwissenschaften

Blank labelling strips white, moisture-proof, for axle size 1000 mm, (shorter sizes by cutting)

B 8039 0W0 UN

Front Side Signage



Inscription triangle, Model DRE

Can be read in row direction, will be hung in the bearing frame as top shelf finish when used as front side labelling, for bay heights above 2200 mm to guarantee the required headroom, incl. exchangeable, moisture-proof labelling strip white,

holder lacquered metal,

labelling strip transparent plastic, antireflex H 50 mm Schulz Labelling Service upon request

For single-sided bays with shelf depth 250 mm UNIFLEX B 8087 ME0 UN

For single-sided bays with shelf depth 300 mm

UNIFLEX B 8087 NEO UN

Item no.



Front side labelling for insertion in the bearing frame as top shelf finish, incl. Exchangeable moisture-proof Labelling strip white, labelling sign Transparent plastic, antireflex. Two labelling signs are required for Double-sided shelves. H 50 mm. Schulz Labelling Service upon request

Item no.

1 each for shelf depth 250 mm UNIFLEX B 8085 M00 UN

1 each for shelf depth 300 mm UNIFLEX B 8085 N00 UN

For double-sided bays with shelf depth 250 mm

UNIFLEX B 8087 MD0 UN

For double-sided bays with shelf depth 300 mm UNIFLEX B 8087 ND0 UN

Blank labelling strips white, moisture-proof for shelf depth 250 mm

UNIFLEX B 8088 0M0 UN

Blank labelling strips white, moisture-proof,

for shelf board 300 mm UNIFLEX B 8088 0N0 UN

Item no.

Blank labelling strips white, moisture-proof, for shelf depth 250 mm UNIFLEX B 8086 M00 UN

Blank labelling strips white,

moisture-proof, for shelf depth 300 mm UNIFLEX B 8086 N00 UN



Labelling flag, Model FA 3

For insertion in the outer posts of bearing frames, lacquered metal. W 120 mm, H 120 mm Schulz Labeling Service upon request.

Item no

With transparent plastic cover, incl. labelling cardboard white UNIFLEX B **8095** 00K UN QUADRA B **8095** 00K QU

Without transparent plastic cover with self-stick letters UNIFLEX B **8095** 000 UN

QUADRA B 8095 000 QU For screwing onto end panels, with transparent plastic cover,

incl. labelling cardboard white. B 8096 00K UN UNIFLEX OUADRA B **8096** 00K QU

For screwing onto end panels, without transparent plastic cover, with self-stick letters

UNIFLEX B **8096** 000 UN QUADRA B **8096** 000 QU



For hanging in the outer posts of bearing frames, for German DIN A5 format, lacquered metal. W 210 mm, H 148 mm. Schulz Labeling Service upon request.

Item no

With transparent plastic cover, incl. labelling cardboard white. B **8082** A5K UN UNIFLEX QUADRA B **8082** A5K QU

Without transparent plastic cover, with self-stick letters. UNIFLEX

B **8082** A50 UN QUADRA B **8082** A50 QU For screwing onto end panels,

with transparent plastic cover, incl. labelling cardboard white. B **8083** A5K UN UNIFLEX OUADRA B **8083** A5K QU

For screwing onto end panels, without transparent plastic cover, with self-stick letters

UNIFLEX B **8083** A50 UN QUADRA B **8083** A50 QU



Holding rod, Model BSHT

For insertion in shelf posts For fixing of up to three metal labelling flags, Model BSFM, bright galvanized metal. H 350 mm.

Item no.

B **8098** 000 UN UNIFLEX QUADRA B 8098 000 QU RONDEA B **8098** 000 RO

Metal labelling flag, Model BSFM

For use with holding rod, randomly turn or fix. Lacquered metal, W 400 mm, H 90 mm SchulzLabelingService upon request

Item no.

UNIFLEX B 8097 000 UN QUADRA B 8097 000 QU **RONDEA** B **8097** 000 RO





OUADRA RONDEA 1 each for end panels from perforated plates,

with round holes RG 5/25 (see picture 3) UNIFLEX

Labelling board with acrylic glass cover,

For hanging on front sides of single- or

double-sided bays, for German DIN A4

format, with 6 mm acrylic glass cover,

Schulz Labeling Service upon request.

1 each for single- or double-sided bays

with shelf depth 250 mm (see picture 1)

1 each for single- or double-sided bays

UNIFLEX

QUADRA

RONDEA

UNIFLEX

QUADRA

RONDEA

UNIFLEX

back is lacquered metal white,

incl. fastening material.

W 212 mm, H 301 mm

Item no

with shelf depth 300 mm

1 each for centre fixing in

double-sided bays (see picture 2)

B **8080** M40 UN

B **8080** M40 QU

B **8080** M40 RO

B 8080 N40 UN

B **8080** N40 QU

B **8080** N40 RO

B **8080** 044 UN

R 8080 044 OU

B **8080** 044 RO

B **8080** 042 RO

Model BTP

QUADRA B **8080** 043 QU **RONDEA** B 8080 043

1 each for end panels from perforated plates, with square holes QG 10/62,5

UNIFLEX B **8080** 048 UN QUADRA B **8080** 048 QU **RONDEA** B **8080** 048 RO

1 each for wooden end panels (see picture 4) UNIFLEX B 8080 042 UN QUADRA B 8080 042 OU

RONDEA

Labelling Boards



Labelling board with plastic cover, Model BTF

For hanging on front sides of single- or double-sided bays, same design as Model BTP, but with plastic cover, transparent, incl. two tagboards. Schulz Labeling Service upon request

Item no.

1 each for single- or double-sided bays with shelf depth 250 mm UNIFLEX B 8081 M40

1 each for single- or double-sided shelves with shelf depth 300 mm UNIFLEX B **8081** N40 UN

> 1 each for centre fixing in double-sided bays UNIFLEX B 8081 044 UN

1 each for end panels from perforated plates, with round holes RG 5/25 UNIFLEX B 8081 043 UN

1 each for end panels from perforated plates, with square holes QG 10/62,5 UNIFLEX B 8081 048 UN

> 1 each for wooden end panels UNIFLEX B **8081** 042 UN



Turn-board holder, Model WTH

For installation at front sides of shelves, for clear and open presentation of information, for max. 21 turn-boards in German DIN A4 format Black plastic, without turn-boards.

Item no.

For installation on bearing frames of double-sided bays UNIFLEX B **8090** 000 UN QUADRA

B 8090 000 OU For installation onto end panels

or for wall-mounting UNIFLEX B 8091 000 UN QUADRA B 8091 000 QU

B **8092** 000 QU

5 turn-boards for German DIN A4 format with double-sided labelling field, transparent plastic, incl. turning rod. UNIFLEX B 8092 000 UN



P Literatur

Metal labelling flag, Model BSFS

For insertion in shelf posts, randomly turn: flag and holding rod from lacquered metal, height 300 mm, flag W 400 mm, minimum height 80 mm. Schulz Labeling Service upon request

Item no.

UNIFLEX B **8099** 000 UN OUADRA B 8099 000 OU RONDEA B 8099 000 RO

QUADRA

Shelf Labelling



Tagboard, Model AKS 2

For clip onto metal or wooden shelves with below groove, shifting, incl. exchangeable labeling white strip transparent plastic, antireflex. W 210/105 mm, H 21 mm **Schulz** Labeling Service upon request

Item no.

Tagboard B 210 mm

Fits all systems B **8040** 000 XX

Blank labelling white strip, sheets of 13 strips, W 209 mm Fits all systems B **8041** 000 XX

Tagboard B 105 mm

B **8040** 200 XX Fits all systems

Blank labelling white strip, sheets of 13 strips, W 104 mm Fits all systems B **8041** 200 XX



Lettering tag, Model KA/S

For retrofitted installation on metal or wooden shelves with smooth edges, self-sticking, incl. exchangeable labelling white strip transparent plastic. W 147/200 mm, H 20 mm Schulz Labeling Service upon request

Item no.

Labelling sign B 200 mm

Fits all systems B **8044** 200 XX

Labelling sign B 147 mm Fits all systems

Blank labelling white strip, sheets of 13 strips, W 209 mm (shorter sizes by cutting)

B **8041** 000 XX Fits all systems



Magnet sign, Model KA/M

For metal boards with smooth edge, Magnetic, incl. exchangeable labelling white strip with transparent plastic cover. W 210 mm, H 20 mm


Schulz Labeling Service upon request

Item no B **8045** 000 XX

Blank labelling white strip, sheets of 13 strips, W 209 mm (shorter sizes by cutting)

Fits all systems

Fits all systems B **8041** 000 XX B **8044** 201 XX



Labelling cube, Model BEWÜ

Universal use for all shelving systems, for attaching labelling between books, incl. inscription field with transparent cover and exchangeable labelling white cardboard, transparent plastic. W 120/200 mm, T 200, H 200 mm Schulz Labeling Service upon request

Item no.

Labelling cube B 120 mm

B **8060** 000 XX Fits all systems

Labelling cube B 200 mm

Fits all systems B **8060** 200 XX



Book substitute, Model STV

As substitute for when books are taken out etc., universal use for all shelving systems, with welded transparent pocket; white, blue, green or red plastic. W 153 mm, H 74 mm Schulz Labeling Service upon request

Item no.

Fits all systems B 8061 000 XX



Labelling bearer, Model BET

Universal use by simply placing on shelf, incl. exchangeable labelling white strip; white lacquered metal. W 150 mm, D 150 mm, H 26 mm Schulz Labeling Service upon request

Item no.

Fits all systems B **8019** 000 XX Blank labelling white strip,

sheets of 13 strips, W 209 mm (shorter sizes by cutting) B **8041** 000 XX Fits all systems



Item no. B **8554** 009 XX





B **8554** 013 XX Item no.



Item no. B 8554 015 XX





B **8554** 001 XX B **8554** 002 XX

B **8554** 006 XX



Item no.

B **8554** 003 XX









B **8554** 016 XX





B **8554** 017 XX



B **8554** 019 XX B **8554** 020 XX





B **8554** 023 XX B **8554** 024 XX





B **8554** 027 XX B **8554** 028 XX



Pictograms

Self-sticking icons for orientation

Item no.

B **8554** . . . XX

and guiding systems, W 130 mm x H 130 mm. More icons and sizes upon request.

Fits all systems





B **8554** 033 XX B **8554** 044 XX



B **8554** 043 XX B **8554** 034 XX



B **8554** 035 XX B **8554** 036 XX



B **8554** 037 XX





